



A-C FORMULA 90[®]

Ready-to-use RODENTICIDE

KILLS Norway & Roof RATS & House MICE

ACTIVE INGREDIENT:

Chlorophacinone CAS [3691-35-8] 0.005%

OTHER INGREDIENTS: 99.995%

TOTAL: 100.000%

EPA REG. NO. 56-70
EPA EST. NO. 56-OH-1

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE BACK FOR ADDITIONAL PRECAUTIONARY STATEMENTS

1.5 OZ. PLACE PACK

Manufactured By: J.T. Eaton & Co., Inc.,
1393 East Highland Road, Twinsburg, OH 44087

J.T. EATON[™] and AC FORMULA 90[™] are trademarks of
J.T. EATON & CO., INC.

PRECAUTIONARY STATEMENTS - HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. Keep away from feed or foodstuffs. May be harmful if swallowed or absorbed through the skin. Wear gloves when handling this product. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling bait.

FIRST AID

HAVE THIS LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE.

IF SWALLOWED	<ul style="list-style-type: none"> • Call a Poison Control Center, doctor, 1-800-664-9042 or 1-800-858-7378 immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting, unless told to by a Poison Control Center or doctor.
---------------------	--

IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a Poison Control Center, doctor, 1-800-664-9042 or 1-800-858-7378 immediately for treatment advice.
-----------------------------------	---

NOTE TO PHYSICIAN: If swallowed or absorbed through the skin, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K1 intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARD:

This product is toxic to fish and wildlife. Do not apply this product directly to water.

STORAGE AND DISPOSAL

STORAGE: Store this product in its original container, in a dry, cool area out of reach of children and pets. Do not contaminate water, foodstuffs, feed, or seed by storage or disposal.

PRODUCT DISPOSAL: As a responsible environmental practice, where possible, it is recommended that all of the contents of the container be used, carefully following label directions and precautions. **IF EMPTY:** Do not reuse empty container. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local waste agency or 1-800-CLEANUP for disposal instructions.

SPILL: Collect product and use as directed, or dispose of material according to IF PARTLY FILLED directions above.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in **tamper-resistant** bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway Rats, Roof Rats and House Mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food, water or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much food as possible.

APPLICATION DIRECTIONS:

The amount of bait in 3 x 1.5 oz. place packs of this product is unlikely to be sufficient to kill more than one or two rats.

For Rats: Apply 3 to 10 place packs (4.5 to 15 oz. of bait) per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

For Mice: Apply one place pack per bait placement. Space place packs at intervals of 8- to 12- feet. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Rats and Mice: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and any leftover bait properly. To prevent reinfestation, limit as many sources of food, water, and harborages as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish with fresh bait as often as needed.